



SAFETY DATA SHEET

OIL TREATMENT FOR PETROL ENGINES

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY

PRODUCT NAME: OIL TREATMENT FOR PETROL ENGINES

PART No.: N/A

APPLICATIONS: Fuel Additive

SUPPLIER: Clorox Car Care,
Unit 16, Rassau Industrial Estate,
Ebbw Vale,
Gwent NP23 5SD, UK

TEL: 44 (0) 1495 350234

FAX: 44 (0) 1495 350234

EMERGENCY TELEPHONE(S): 44 (0) 1495 350234

2 COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT NAME	EINECS No.	CAS No.	CONTENTS	SYMBOL	RISK (R No.)
Proprietary Non-Hazardous Blend			100 %		

The full text for all R-phrases are shown in section 16.

3 HAZARDS IDENTIFICATION

Not regarded as a health hazard under current legislation.

4 FIRST AID MEASURES

INHALATION: Move the exposed person to fresh air at once.

INGESTION: DO NOT INDUCE VOMITING! Drink plenty of water.

SKIN: Wash skin thoroughly with soap and water.

EYES: Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes and get medical attention.

5 FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA: Use: Foam. Carbon dioxide (CO₂). Dry chemicals.

SPECIAL FIRE FIGHTING PROCEDURES:
Avoid breathing fire vapours.

HAZARDOUS DECOMPOSITION PRODUCTS:
Fire creates: Oxides of: Carbon.

OIL TREATMENT FOR PETROL ENGINES

6 ACCIDENTAL RELEASE MEASURES

SPILL CLEANUP METHODS: Use appropriate containment to avoid environmental contamination. Absorb in vermiculite, dry sand or earth and place into containers. Do not contaminate water sources or sewer. If contamination of drainage systems or water courses is unavoidable, immediately inform appropriate authorities.

7 HANDLING AND STORAGE

USAGE PRECAUTIONS: Provide good ventilation. Avoid spilling, skin and eye contact.

STORAGE PRECAUTIONS: Store below 100°C. Keep away from oxidising substances.

8 EXPOSURE CONTROLS AND PERSONAL PROTECTION

PROTECTIVE EQUIPMENT:



VENTILATION: Well ventilated area.

PROTECTIVE GLOVES: Use suitable protective gloves if risk of skin contact.

EYE PROTECTION: Wear approved safety goggles.

OTHER PROTECTION: Use barrier creams to prevent skin contact.

9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:	Liquid. Clear. Viscous.	COLOUR:	Brown.
ODOUR/TASTE:	Characteristic.	SPECIFIC GRAVITY (Water=1):	0.88 @ 20 °C
VAPOUR PRESSURE:	<1000Pa @ 20 °C	FLASH POINT (°C):	190
FLASH POINT METHOD:	CC (Closed cup).		

10 STABILITY AND REACTIVITY

CONDITIONS TO AVOID: Avoid contact with strong oxidisers. Avoid overheating.

HAZARDOUS DECOMPOSITION PRODUCTS:
Fire creates: Oxides of: Carbon.

11 TOXICOLOGICAL INFORMATION

TOXIC DOSE1- LD50: >4000mg/kg (oral rat)
TOXICOLOGICAL INFORMATION: LD50 (skin, rabbit) > 4000 mg/kg
INHALATION: Inhalation of mists or vapours at elevated temperatures may cause respiratory irritation.

INGESTION: No specific health warnings noted.

SKIN: No specific health warnings noted.

EYES: No specific health warnings noted.

12 ECOLOGICAL INFORMATION

MOBILITY: Absorbs on to soil and is not expected to be mobile.

OIL TREATMENT FOR PETROL ENGINES

13 DISPOSAL CONSIDERATIONS

DISPOSAL METHODS: Dispose of in accordance with Local Authority requirements.

14 TRANSPORT INFORMATION

ROAD:
HAZARD CLASS (ADR): Not classified for transportation.

RAIL:
SEA:
AIR:

15 REGULATORY INFORMATION

RISK PHRASES: Not classified.

SAFETY PHRASES: S-2 Keep out of reach of children.
S-46 If swallowed seek medical advice immediately and show this container label.

16 OTHER INFORMATION

REVISION COMMENTS: Amendment to bring in line with 'CHIP 3'. Amendment to sections: 15, 16.
S46 phrase now included.

REVISION DATE: 09-2002

REVISION No. /REPLACES SDS ISSUED:
2 / 04-2001

DISCLAIMER

The information supplied here is accurate to the best knowledge and belief of Clorox Car Care, it is however, not intended as a warranty or representation, and should not be construed as such, for which Clorox Car Care assumes any legal responsibility. Any information or advice obtained from Clorox Car Care other than by means of this publication, and whether relating to Clorox Car Care's products or other materials is also given in good faith. It remains at all times the responsibility of the customer, and user, to ensure that the materials are suitable for the particular purpose intended. Materials not manufactured, or supplied, by Clorox Car Care when used instead of, or in conjunction with materials supplied by Clorox Car Care, it is the customer's responsibility to ensure that all technical, and other information related to such materials is obtained from the manufacturer or supplier. Clorox Car Care accepts no liability for the data contained within this document, as the information herein may be applied under conditions beyond our control, and in situations with which we may be unfamiliar. The information contained within this document is furnished upon condition that the customer and user of this product makes his own determination of the suitability of the product for his particular purpose.